

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S99 | 2 | ("20050091199").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/08 15:21 |
| S100 | 12 | ((("20050091199") or ("6088691") or ("5832477") or ("5822750") or ("5680603") or ("5548755")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/08 15:21 |
| S101 | 43 | ("5548755" "5548758").PN. OR ("5822750").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/08 15:21 |
| S102 | 20 | ("5822750" "5950186" "6032143" "6067542").PN. OR ("6356887").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/08 15:21 |
| S108 | 171 | (build\$3 construct\$3)same sql same template | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:28 |
| S109 | 25 | (build\$3 construct\$3)same (sql near4 template) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S110 | 93 | (sql near4 template) same query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S111 | 8 | S110 and alias | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S112 | 16 | sql same template same placeholder | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|----|------------------|
| S11 3 | 93 | (sql near4 template) same query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S11 4 | 8 | S113 and alias | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S11 5 | 4 | sql same template same placeholder and alias | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S11 7 | 22 | (optimize adj3 join) same sql | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S11 8 | 58 | (optimiz\$3 adj3 join) same sql | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S11 9 | 23 | (alias adj3 list) same query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S12 0 | 33 | (clause near2 generat\$3) same template | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S12 6 | 61 | (column field) same (alias adj2 list) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S12 7 | 40 | (column field) same (alias adj2 list) and query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S12 8 | 14 | (unnecessary near4 table) same join | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S12 9 | 4 | ((("6640221") or ("6553371")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/08 15:21 |
| S13 0 | 4 | S129 and (necessary join list alias clause generation "where") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S13 1 | 5 | (US-20020169768-\$ or US-20020143749-\$ or US-20030093374-\$ or US-20040220928-\$ or US-20040220917-\$).did. or (US-5664173-\$ or US-6748374-\$). did. | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:21 |
| S13 2 | 93 | (sql near4 template) same query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S13 5 | 5 | (US-20020169768-\$ or US-20020143749-\$ or US-20030093374-\$ or US-20040220928-\$ or US-20040220917-\$).did. or (US-5664173-\$ or US-6748374-\$). did. | US-PGPUB; USPAT | OR | ON | 2007/08/08 15:21 |
| S13 6 | 40 | (column field) same (alias adj2 list) and query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S13 7 | 8 | S132 and alias | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S13 8 | 23 | (alias adj3 list) same query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S13 9 | 93 | (sql near4 template) same query | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S14 0 | 8 | S139 and alias | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S14 1 | 43 | ("5548755" "5548758").PN. OR ("5822750").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/08 15:21 |
| S14 2 | 12 | ((("20050091199") or ("6088691") or ("5832477") or ("5822750") or ("5680603") or ("5548755"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/08 15:21 |
| S14 3 | 4 | ((("6640221") or ("6553371"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/08 15:21 |
| S14 5 | 61 | (column field) same (alias adj2 list) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S14 6 | 16 | sql same template same placeholder | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S14 7 | 4 | S143 and (necessary join list alias clause generation "where") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S14 8 | 20 | ("5822750" "5950186" "6032143" "6067542").PN. OR ("6356887"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/08 15:21 |
| S14 9 | 25 | (build\$3 construct\$3)same (sql near4 template) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S15 0 | 22 | (optimize adj3 join) same sql | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S15 1 | 4 | sql same template same placeholder and alias | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S15 2 | 14 | (unnecessary near4 table) same join | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S15 3 | 33 | (clause near2 generat\$3) same template | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |
| S15 4 | 2 | ("20050091199").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/08 15:21 |
| S15 6 | 58 | (optimiz\$3 adj3 join) same sql | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/08 15:21 |

EAST Search History

| | | | | | | |
|----------|----|---|------------------------------|----|----|------------------|
| S15 7 | 40 | placeholder with sql | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S15 8 | 29 | (placeholder with sql) and placeholder and @ad<"20031023" | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S15 9 | 16 | (query adj builder) with (form place\$1holder) | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 0 | 3 | (query adj builder) and (name\$1place name\$holder place\$1holder) and database | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 1 | 5 | sql near placeholder | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 2 | 5 | sql with table with placeholder | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 3 | 45 | dynamic adj sql and placeholder | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 4 | 2 | dynamic adj sql with template | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 5 | 2 | dynamic adj sql same placeholder | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 6 | 43 | dynamic adj sql and placeholder and @ad<"20031023" | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 7 | 10 | ("6009428" "6122627" "6134540" "6226637" "6236997" "6356913" "6366917").PN. OR ("6694321").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/08 15:21 |
| S16 8 | 4 | (query adj builder).ti. | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S16 9 | 12 | (query adj builder).ab. | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S17 0 | 7 | (sql with template).ab. | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |
| S17 1 | 16 | (sql and template).ab. | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/08 15:21 |

EAST Search History

| | | | | | | |
|----------|-----|---|------------------------------|----|----|------------------|
| S17 3 | 2 | (query near2 builder) same sql same table same filter | USPAT | OR | ON | 2007/08/08 15:21 |
| S17 4 | 3 | (query near2 builder) same join | USPAT | OR | ON | 2007/08/08 15:21 |
| S17 5 | 110 | (alias near list) | USPAT | OR | ON | 2007/08/08 15:21 |
| S17 6 | 17 | (alias near list) with database | USPAT | OR | ON | 2007/08/08 15:21 |
| S17 7 | 18 | (alias near list) with table | USPAT | OR | ON | 2007/08/08 15:21 |
| S17 8 | 81 | ("4068304" "4087794" "4506326" "4635208" "4686522" "4815029" "4821211" "4843538" "4853843" "4868766" "4873623" "4885717" "4899136" "4933514" "4939507" "4945475" "4951190" "4953080" "4984152" "4989132" "4996654" "5001697" "5019961" "5040131" "5041967" "5041982" "5121477" "5175814" "5228723" "5261093" "5263167" "5276870").PN. OR ("5418950").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/28 15:36 |
| S17 9 | 18 | qp with (field column) with (filter condition) | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/28 15:22 |
| S18 0 | 14 | (qp (query near2 plan)) with (field column) with (filter condition) and database | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/28 15:28 |
| S18 1 | 14 | (qp (query near2 program)) with (field column) with (filter condition) and database | US-PGPUB; USPAT; EPO | OR | ON | 2007/08/28 15:28 |
| S18 2 | 81 | ("4068304" "4087794" "4506326" "4635208" "4686522" "4815029" "4821211" "4843538" "4853843" "4868766" "4873623" "4885717" "4899136" "4933514" "4939507" "4945475" "4951190" "4953080" "4984152" "4989132" "4996654" "5001697" "5019961" "5040131" "5041967" "5041982" "5121477" "5175814" "5228723" "5261093" "5263167" "5276870").PN. OR ("5418950").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/28 15:37 |
| S18 3 | 77 | S182 and (query\$3 select where table column) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/28 15:38 |

EAST Search History

| | | | | | | |
|----------|----|---|------------------------------|----|----|------------------|
| S18 4 | 81 | ("4068304" "4087794" "4506326" "4635208" "4686522" "4815029" "4821211" "4843538" "4853843" "4868766" "4873623" "4885717" "4899136" "4933514" "4939507" "4945475" "4951190" "4953080" "4984152" "4989132" "4996654" "5001697" "5019961" "5040131" "5041967" "5041982" "5121477" "5175814" "5228723" "5261093" "5263167" "5276870").PN. OR ("5418950").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/28 16:47 |
| S18 5 | 77 | S184 and (query\$3 select where table column template) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/08/28 16:47 |